

Edelkorund Nylon-Trennscheiben mit Gewebeeinlage

10 Stk.Pkg.

| D mm | T mm | empfohlene Aufnahmeschäfte | Bestell-Nr | Pkg |
|---------|---------|-------------------------------|------------------|-------|
| 22,0 | 0,2 | 22 - 23 | 252-32202 | 13,50 |
| 22,0 | 0,3 | 22 - 23 | 252-32203 | 12,40 |
| 22,0 | 0,5 | 22 - 23 | 252-32205 | 12,40 |
| 25,0 | 0,2 | 22 - 23 | 252-32502 | 15,30 |
| 25,0 | 0,3 | 22 - 23 | 252-32503 | 13,80 |
| 25,0 | 0,5 | 22 - 23 | 252-32505 | 14,20 |
| 40,0 | 0,5 | 22 - 23 | 252-34005 | 19,70 |
| 40,0 | 0,7 | 22 - 23 | 252-34007 | 19,70 |
| 40,0 | 1 | 22 - 23 | 252-34010 | 19,70 |



Aufnahmeschäfte | Schleifscheibenhalter

| Typ | Schaft Ø x L mm | für Bohrung Ø mm | bis Scheiben Ø mm | bis Scheiben- dicke mm | Bestell-Nr | Stk |
|-----|-----------------------|------------------------|-------------------------|------------------------------|------------|-----|
|-----|-----------------------|------------------------|-------------------------|------------------------------|------------|-----|

Aufnahmeschäfte für Cratex Polierscheiben und -kappen

| | | | | | | |
|----|----------|-----|---|---|-----------------|------|
| 12 | 3,0 x 45 | 2,0 | - | - | 252-3032 | 0,90 |
| 13 | 3,0 x 45 | 3,0 | - | - | 252-3033 | 0,90 |

Schleifscheibenhalter für Trennscheiben und Cratex Polierscheiben

| | | | | | | |
|----|----------|-----------|------|-----------|-----------------|------|
| 22 | 3,0 x 45 | 1,5 - 1,8 | 25,0 | 4,5 | 252-3132 | 1,20 |
| 24 | 3,0 x 30 | 1,5 - 1,8 | 38,0 | 3,0 | 252-3133 | 1,20 |
| 26 | 3,0 x 48 | 1,5 - 1,8 | 25,0 | 5,0 + 6,0 | 252-3134 | 1,50 |
| 41 | 6,0 x 50 | 6,0 | 75,0 | 9,5 | 252-3061 | 4,00 |
| 42 | 6,0 x 70 | 6,0 | 75,0 | 20,0 | 252-3062 | 3,30 |

Reduzierspannzangen

Lieferbar von 0,5 mm bis 2,9 mm

| A mm | B mm | C mm | Bestell-Nr | Stk |
|---------|---------|---------|-----------------|-------|
| 25,0 | 6,0 | 2,35 | 252-3623 | 26,40 |
| 25,0 | 6,0 | 3,0 | 252-3633 | 26,40 |
| 25,0 | 3,0 | 2,35 | 252-3323 | 12,40 |
| 25,0 | 3,0 | 1,6 | 252-3316 | 12,40 |





| D mm | T mm | Bestell-Nr | Stk |
|----------------------------------|---------|------------------|-------|
| Schaft Ø 3 x 45 mm, Körnung D151 | | | |
| 22 | 0,6 | 256-12206 | 20,60 |



| D mm | T mm | Bestell-Nr | Stk |
|----------------------------------|---------|------------------|-------|
| Schaft Ø 3 x 45 mm, Körnung D151 | | | |
| 17,2 | 2,4 | 256-11702 | 20,60 |



| D mm | T mm | Bestell-Nr | Stk |
|----------------------------------|---------|------------------|-------|
| Schaft Ø 3 x 45 mm, Körnung D151 | | | |
| 22 | 0,35 | 256-12203 | 20,60 |



| D mm | T mm | Bestell-Nr | Stk |
|----------------------------------|---------|------------------|-------|
| Schaft Ø 3 x 45 mm, Körnung D151 | | | |
| 19 | 1,0 | 256-11901 | 18,70 |



| D mm | T mm | Bestell-Nr | Stk |
|----------------------------------|---------|------------------|-------|
| Schaft Ø 3 x 45 mm, Körnung D151 | | | |
| 9 | 0,6 | 256-10906 | 15,00 |