

Edelkorund Nylon-Trennscheiben

ohne Gewebeeinlage

10 Stk.Pkg.

D mm	T mm	empfohlene Aufnahmeschäfte	Bestell-Nr	Pkg
22,0	0,3	22	252-12203	4,00
22,0	0,7	22	252-12207	2,35
22,0	2,0	22	252-12220	8,60
22,0	3,0	22	252-12230	13,15
25,0	0,7	22	252-12507	4,00
25,0	1,0	22	252-12510	4,00
34,0	1,7	22	252-13417	8,60
50,0	1,0	41	252-15010	50,60
50,0	2,0	41	252-15020	50,60

Ø 22,0 mm

Ø 25,0 mm

Ø 34,0 mm

Ø 37,5 mm

Ø 40,0 mm

Ø 50,0 mm


Siliziumkarbid Nylon-Trennscheiben

ohne Gewebeeinlage

10 Stk.Pkg.

D mm	T mm	empfohlene Aufnahmeschäfte	Bestell-Nr	Pkg
22,0	0,3	22	252-22203	4,15
22,0	0,7	22	252-22207	2,90
22,0	2,0	22	252-22220	7,10
25,0	0,7	22	252-22507	4,80
25,0	1,0	22	252-22510	5,25
34,0	1,7	22	252-23417	10,35
37,5	1,0	22	252-23710	10,35

Ø 50,0 mm



Edelkorund Nylon-Trennscheiben

mit Gewebeeinlage - besonders bruchfest



10 Stk.Pkg.

D mm	T mm	empfohlene Aufnahmeschäfte	Bestell-Nr	Pkg
22,0	0,2	22 - 23	252-32202	17,35
22,0	0,3	22 - 23	252-32203	15,80
22,0	0,5	22 - 23	252-32205	15,80
25,0	0,2	22 - 23	252-32502	19,60
25,0	0,3	22 - 23	252-32503	17,80
25,0	0,5	22 - 23	252-32505	18,30
40,0	0,5	22 - 23	252-34005	25,20
40,0	0,7	22 - 23	252-34007	25,20
40,0	1	22 - 23	252-34010	25,20







**Aufnahmeschäfte | Schleifscheibenhalter**

Typ	Schaft Ø x L mm	für Bohrung Ø mm	bis Scheiben Ø mm	bis Scheibendicke mm	Bestell-Nr	Stk
-----	-----------------	------------------	-------------------	----------------------	------------	-----

Aufnahmeschäfte für Cratex Polierscheiben und -kappen

12	3,0 x 45	2,0	-	-	252-3032	1,20	
13	3,0 x 45	3,0	-	-	252-3033	1,20	

Schleifscheibenhalter für Trennscheiben und Cratex Polierscheiben

22	3,0 x 45	1,5 - 1,8	25,0	4,5	252-3132	1,25	
23	6,0 x 42	1,5 - 1,8	38,0	4,5	252-3162	1,55	
24	3,0 x 48	3,0	38,0	3,0	252-3133	1,80	
26	3,0 x 48	1,5 - 1,8	25,0	5,0 + 6,0	252-3134	1,60	
41	6,0 x 50	6,0	75,0	9,5	252-3061	5,10	
42	6,0 x 70	6,0	75,0	20,0	252-3062	4,05	

Reduzierspannzangen

Lieferbar von 0,5 mm bis 2,9 mm

A mm	B mm	C mm	Bestell-Nr	Stk
25,0	6,0	2,35	252-3623	31,00
25,0	6,0	3,0	252-3633	31,00
25,0	3,0	2,35	252-3323	15,95
25,0	3,0	1,6	252-3316	15,95





D mm	T mm	Bestell-Nr	Stk
Schaft Ø 3 x 45 mm, Körnung D151			
22	0,6	256-12206	23,00



D mm	T mm	Bestell-Nr	Stk
Schaft Ø 3 x 45 mm, Körnung D151			
17,2	2,4	256-11702	23,00



D mm	T mm	Bestell-Nr	Stk
Schaft Ø 3 x 45 mm, Körnung D151			
22	0,35	256-12203	23,00



D mm	T mm	Bestell-Nr	Stk
Schaft Ø 3 x 45 mm, Körnung D151			
19	1,0	256-11901	20,80



D mm	T mm	Bestell-Nr	Stk
Schaft Ø 3 x 45 mm, Körnung D151			
9	0,6	256-10906	16,80